

Technical data sheet 362A

Specification Management swivel armchair, transmotion mech.high

Dimensions in	Backrest:	H:	810
		Seat:	H: 420-500 W: 470 D: 460
	Total:	H:	1230-1310
		W (Ar):	610
		L:	760
	Packaging data	Weight:	kg
Volume:		m³	0,68



Basic equipment

Benefit

Backrest	Fully upholstered (drawn completely). High. Integrated headrest.	Comfortable sitting due to ergonomically designed backrest. Shoulders and neck can be supported.
Upholstering	Seat and backrest upholstered. Cut foam, free of CFCs and CHCs (unmixed). Seat 45 mm foam, backrest 35 mm foam.	Good sitting comfort.
Seat carrier	Moulded wood, serves as upholstering carrier at the same time.	Robust fastening basis.
Mechanism	Transmotion mechanism with seat height adjustment and locking device.	
Seat height adjustment	Stepless seat height adjustment of 420 - 500 mm. Pneumatic safety spring self-supporting.	The correct seat height of a chair is the basic requirement for sitting and working in an ergonomically correct and relaxed way.
Mechanical sprung column	Also in lowest seat position.	Dampening of the sitting down impact; therefore protection of the spinal column.
Weight adjustment	From 45 - 120kg, stepless adjustment.	Individual adjustment of the counterpressure according to height and weight of the sitting person.
Castors Ø 65 mm	Hard double castors for soft floors, black.	Chair does not roll away if no-one is sitting on it, minimised risk of accidents. Improve the rolling process.
Base/metal parts	5-star base and support chrome.	Very high stability, long-lasting. Sophisticated appearance.
Polypropylene parts	Always black, imbued. Therefore "colour fastness" also in case of deep scratches and marks.	High durability.
Armrests	Armrests fabric-covered (like seat and backrest cover).	Due to the armrests, the muscles of the neck and nape are relieved.
Material use	All materials are unmixed and can be recycled.	Environmentally-friendly.
Standards	EN 1335 for office swivel chairs and office swivel armchairs, GS sign for checked safety, checked for harmful substances and ergonomic design.	High level of safety and comfort.

Technical data sheet 362A

Specification Management swivel armchair, transmotion mech.high

Dimensions in	Backrest:	H:	810	
		Seat:	H:	420-500
			W:	470
	Total:	D:	460	
		H:	1230-1310	

Packaging data	Weight:	kg	32,5
	Volume:	m³	0,68

Certification	Quality management system DIN EN ISO 9001:2000, EMAS according to EC directive 761/2001, environmental management system DIN EN ISO 14001:2005.		
---------------	---	--	--

High-quality product.

Warranty and return	5 years long-term warranty and 3 years full warranty. Full return and guaranteed recycling.		
---------------------	---	--	--

Parts replacement free of cost within the guaranteed time.



Technical data sheet 362A

Specification Management swivel armchair, transmotion mech.high

Dimensions in	Backrest:	H:	810
		Seat:	H: 420-500
		W:	470
		D:	460
	Total:	H:	1230-1310
			W (Ar): 610
		L:	760
Packaging data	Weight:	kg	32,5
	Volume:	m³	0,68



Options

Benefit

Castors Ø 65 mm/glides

Soft double glides for hard floors, black. Hard or soft conference glides, black.

Chair does not move if no-one is sitting on it, minimised risk of accidents. Protect the flooring, Increase the rolling resistance, are quiet.

Cover materials

Several fabric qualities and leather (see price catalogue and fabric chart).

There are various colours and cover materials to choose from for designing the chair.